



# Groove Profile

The Groove Profile is a deep groove mounted LED profile ideal for mounting in joinery, milled grooves and inground. For use with LED strip up to 12mm in width.

Colour:	Non-anodised, anodised silver, anodised black, anodised inox, lacquered white (RAL9016)
Construction:	Aluminium.
Length:	1000mm, 2020mm, 3000mm.
Mounting:	Double sided adhesive tape.
Covers:	Frozen, Frosted, Opal, Clear, Opal frosted, Black, Curved Lens 1 & 2.
End Caps:	Colour match end caps with or without holes.



Non-anodised



Anodised silver



Anodised inox



Anodised black





Lacquered white




# Groove Profile


## Dimensions & Cover Options




Frozen




Frosted




Opal



Clear




Opal Frosted



Black



Lens 1



Lens 2



# Groove Profile

## Order Codes

To specify choose one entry from each column, e.g. "GRV 1000 C NA". Omit columns if not required. Accessories ordered separately.

Profile					
Name	Length (mm)	Cover	Mounting Option	Colour	
GRV	1000	FR (Frozen)	-	NA (non-anodised)	
	2020	FRS (Frosted)		AS (Anodised Silver)	
	3000		OP (Opal)		BL (Anodised Black)
			CL (Clear)		AI (Anodised Inox)
			FO (Frosted Opal)		LW (Lacquered White)
			BL (Black)		
			L1 (Lens 1)		
			L2 (Lens 2)		

Accessories			
Accessory	Order Code	Configuration Suffix	Colour (End Caps)
Plastic End Caps	GRV-EC	H (With Holes)	NA (non-anodised)
Metal End Caps	GRV-ECM	S (Solid End Caps)	AS (Anodised Silver)
			BL (Anodised Black)
			AI (Anodised Inox)
			LW (Lacquered White)